

ALEXON

Since 1982

Electric Household Appliances Kitchenwares

ALEXON ELECTRICAL PRODUCTS LTD.

50 Hoi Yuen Road, Kwun Tong, Hong Kong.
Email: sales@alexon.com.hk
<http://www.alexon.com.hk>

NINGBO ALEXON ELECTRICAL PRODUCTS LTD.

Simen Town, Yuyao, Ningbo, China.
email: sales@alexonchina.com
<http://www.alexonchina.com>



MANUFACTURER

SOURCING AGENT

QUALITY INSPECTION



RoHS

Model No.: HK-107KT
1.7L Digital Water Kettle

Specification:
- AC220-240V, 50Hz, 1500W
- 360° rotatable base&cordless base
- 3 temp setting 90/80/60°C
- Detach top cover easy to clean

Packing details:
Carton: 665 X 445 X 660mm
5 pcs / Carton
1,632 pcs / 20ft FCL
3,360 pcs / 40ft FCL

Certificate: CB



MODEL NO.: HK-652E
1.7L Digital Water Kettle

Specification:
- AC220-240V, 50Hz, 1850-2200W
- Boil up and keep warm function
- Stainless steel body and lid
- Safety locking lid
- Boil-dry protection
- 4 temperature settings
70/ 80/ 90/ 100°C

Packing details:
Carton: 495 X 395 X 475mm
8 pcs / Carton
2,000 pcs / 20ft FCL
4,120 pcs / 40ft FCL

Certificate: CE/GS/ROHS/LFGB



Model No.: AX-6302GTYK
Digital Glass Kettle

Specification:
- 220-240V 50/60Hz 1850-2200W
- Water capacity: 1.7L
- Concealed S/S heating element
- Keep warm function at 70, 80, 90°C for 1 hour
- 4 temperature settings
70/ 80/ 90/ 100°C

Packing details:
Carton: 500 x 400 x 265mm
4pcs / Carton
2,116pcs / 20ft FCL
4,400pcs / 40ft FCL

Certificate: CE, ROHS, GS
Exclusive Country: Germany



Model No.: AX-1302BKK
2.0L Glass Kettle

Specification:
- AC220-240V 50HZ 1850-2200W
- Water capacity: 2.0L
- Concealed heating element
- Boil dry and overheat protection
- Automatically cut off

Packing details:
Carton: 575x230x483mm
6pcs / Carton
2,580pcs / 20ft FCL
5,280pcs / 40ft FCL

Certificate: CE, ROHS, GS
Exclusive Country: Czech Rep, England



Model No.: HK-794
1.7L Stainless Steel Water Kettle

Specification:
- AC220-240V~50Hz, 1850-2200W
- 360 degree power base
- Stainless steel housing w/ rear window
- On/off switch with indicator light
- Safety locking lid
- Boil-dry protection

Packing details:
Carton: 489 X 333 X 433mm
8 pcs / Carton
3,240 pcs / 20ft FCL
6,576 pcs / 40ft FCL

Certificate: CE/GS/RoHS



Model No.: AX-3019L3TFK
1.7L Dome Water Kettle

Specification:
- AC220-240V 50/60HZ 1850-2200W
- Water capacity: 1.7L
- Concealed heating element
- Boil dry and overheat protection
- Automatically cut off while boiling

Packing details:
Carton: 685x460x285mm
6pcs / Carton
1,902pcs / 20ft FCL
3,804pcs / 40ft FCL

Certificate: CE, ROHS, GS, LFGB



Model No.: HK-8812LJ
1.5L Double Wall Plastic Kettle

Specification:
- AC220-240V~50Hz, 1500W
- Capacity: 1.5L
- Automatic Lid open
- PPO High temperature resistant plastic
- Heated visible light, LED switch
- Double wall insulation
- 360 degree Rotation base
- Over heat protection

Packing details:
Carton: 540 x 209 x 430mm
12 pcs / Carton
3,738 pcs / 20ft FCL
5,800 pcs / 40ft FCL

Certificate: CE/GS/RoHS



Model No.: AX-0101GK
1.7L Plastic Kettle

Specification:
- AC220-240V, 50/60Hz, 1850-2200W
- Capacity: 1.7L
- Two stage opening system
- Water Level Indicator (External)
- Dry Boil Protection
- 360° Swivel Base
- Auto Boiling Shut-Off

Packing details:
Carton: 551x197x473mm
6 pcs / Carton
3,402pcs / 20ft FCL
7,056pcs / 40ft FCL
8,274PCS/ 40HQ FCL

Certificate: CE/CB/GS/LFGB/ROHS



Model No.: AX-2210WK
Instant Hot Water Machine

Specification:
- AC220~240V 50/60Hz, 2200-2600W
- Detachable water tank 2.2L
- Dispense and stop water by one knob
- Dispense water up to 400-500ml/min
- Two thermostats double safety
- Boil-dry protection

Packing details:
Carton: 590 x 412 x 345mm
4pcs / Carton
1,368pcs / 20ft FCL
2,832pcs / 40ft FCL
3,320pcs / 40HQ FCL

Certificate: CE/CB/GS/ROHS/LFGB



Model No.: AX-3022FK
Instant Hot Water Machine

Specification:
- AC220~240V 50/60Hz, 1850-2200W
- Detachable water tank 1.8L
- One cup output about 200ML
- Dispense water up to 400-500ml/min
- Water level decoder
- Low water level protection
- Double thermal controller
- Boil Dry protection

Packing details:
Carton: 553 x 445 x 390mm
4pcs / Carton
1,216pcs / 20ft FCL
2,432pcs / 40ft FCL
2,844pcs / 40HQ FCL

Certificate: CE/GS/ROHS/LFGB



Model No.: HK-CM-6628T
Coffee Maker with Bean Grinder

Specification:
- AC220-240V, 50Hz, 1050W;
- Capacity: 1.25L
- Automatic drip coffee
- Plastic body with S/S decoration
- Coffee bean container capacity: 60g
- 24 hour full programmable timer
- Microcomputer control, LCD display
- with grinds coffee beans function
- with S/S filter
- Removable coffee bean container
- with keep warm function
- Automatically turns off

Packing details:
Carton: : 485x335x375mm
2 pcs / Carton
936 pcs / 20ft FCL
1,896 pcs / 40 ft FCL

Certificate: CE/GS/RoHS/ERP



Model No.: HK-CM-8268
Coffee Maker with Bean Grinder

Specification:
- AC220-240V, 50Hz, 750-900W;
- Capacity: 0.6L (4 cups)
- Anti-drip function
- Built-in coffee grinder
- Option to use coffee beans and ground coffee brewing
- Keep warm function for 30 minutes
- Elegant design with S/S decoration
- Overheat protection by thermostat
- Accessories: glass, carafe, brush, coffee spoon
- Exclusive country: Japan/Taiwan

Packing details:
Carton: : 380 x 337 x 290mm
2 pcs / Carton
1,428 pcs / 20ft FCL
2,856 pcs / 40 ft FCL

Certificate: CE/GS/CB/ERP



Model No.: HK-AJ03C
Juicer Extractor

Specification:

- AC220-240V 50/60HZ 500W
- Stainless steel housing
- 65mm diameter feed chute for whole apple
- 1.5L pulp container
- 0.8L juicer cup
- 2 speeds for fruit or vegetables option
- Stainless steel blade and filter

Packing details:

Carton : 615 X 590 X 362 mm
6 pcs / Carton
1,260 pcs / 20ft FCL
2,556 pcs / 40 ft FCL

Certificate: CE/GS/ROHS/LFGB/ERP/REACH



Model No.: HK-AJ10
Juicer Extractor

Specification:

- AC220-240V 50/60HZ 600W
- Stainless steel housing
- 65mm diameter feed chute for whole apple
- 1.6L pulp container
- 0.45L juicer cup
- 2 speeds for fruit or vegetables option
- Stainless steel blade and filter

Packing details:

Carton : 555 x 576 x 330 mm
6 pcs / Carton
1,500 pcs / 20ft FCL
2,556 pcs / 40 ft FCL

Certificate: CE/GS/ROHS/LFGB/ERP/REACH

Model No.: HK-BL15
2 in 1 Electric Blender

Specification:

- AC220-240V 50/60HZ 500W
- Steel blade design for greens and fruits
- Glass mixing jar with max 600ml
- Tritan sport bottle with max 570ml
- Power on/off button with blue LED light indication
- SUS430 wrap+ABS body

Packing details:

Carton : 770 x 335 x 295 mm
6 pcs / Carton
2,208 pcs / 20ft FCL
4,572 pcs / 40 ft FCL

Certificate: CE/GS/ROHS/LFGB/ERP/REACH



Model No.: AX-150PJ
Slow Juicer

Specification:

- AC110-240V 50/60Hz 150W
- Speed: 80 RPM
- Spout Size: 1.5cm juicer spout, 3cm pulp spout
- Stainless steel housing
- Max. Continuous Use: 30 min

Packing details:

Carton: 555 x 395 x 330mm
2pcs/ Carton
780pcs/ 20ft FCL
1,600pcs/ 40ft FCL
1,750pcs/ 40HQ

Certificate: CE/GS/ROHS/LFGB/CB/ETL



Mode No.: AX-12MKB
2 in 1 Travel Blender & Chopper

Specification:

- 100-240V 50/60Hz 500W
- 1.2L chopper AS bowl
- 570ml BPA free Tritan bottle
- Double layer SS blade
- Drip free pour spout

Packing details:

Carton: 660 x 660 x 325mm
4sets / Carton
1,650sets/ 20ft FCL
3,546sets/ 40ft FCL
4,158sets/ 40HQ

Certificate: CE/GS/ROHS/LFGB/CB



Model No.: AX-2022DS
2 IN 1 Salad maker & Travel blender

Specification:

- AC220-240V 50Hz 250W
- 500ml BPA Free Tritan Bottle
- One speed
- Standard accessories: 5pcs slicer

Packing details:

Carton: 765 x 265 x 54cm
6sets / Carton
1,440sets/ 20ft FCL
3,060sets/ 40ft FCL
3,600sets/ 40HQ

Certificate: CE/GS/ROHS/LFGB





Model No.: HK-IG-001
Smokeless Infrared Electric Grill

Specification:

- AC220-240V, 50Hz, 1600W;
- Up-grated infrared technology w/ infra-red heat reflectors
- Heat up to 230°C in 1 mins.
- No smoke with full sealed tube surface at both size
- 1 button easy operation
- Non-stick grid, dishwasher
- Cool touch surface

Packing details:

- Carton: 550 x 210 x 450mm
- 1 pce / Carton
- 580 pcs / 20ft FCL
- 1,200 pcs / 40 ft FCL

Certificate: CE/CB



Model No.: AX-102AG
Contact Grill

Specification:

- 220-240V, 50/60Hz, 1650W
- Plate size: 24.5x35.6cm
- Stand upright for compact storage and space saving
- Adjustable temperature control
- Easy cleaning due to non-stick coating
- Low-fat oil runs into a collector bowl
- Detachable die cast plate with flat surface for Teppanyaki and grill pattern for steaks

Packing details:

- Carton: 595 x 515 x 415mm
- 3 pcs / Carton
- 654 pcs / 20ft FCL
- 1,335 pcs / 40ft FCL

Certificate: CE/GS/ROHS/LFGB



Model No.: AX-1288-1YG
Raclette Grill for 8 persons

Specification:

- AC220-240V, 50/60Hz, 1100W
- Full non-stick top grill plate + 8 non-stick small pans
- Non-stick fondue pot (1.6L) + 6 forks + forks holder
- Stainless steel (SUS430) bottom plate.
- Carbon steel base housing
- With adjustable thermostat control and fuse

Packing details:

- Carton: 440 x 455 x 305mm
- 2pcs / Carton
- 1,000 pcs / 20ft FCL
- 2,000 pcs / 40ft FCL

Certificate: CE/GS/ROHS/LFGB



Model No.: AX-769AG
Contact Grill

Specification:

- AC220-240V, 50/60Hz, 1280W
- Plate size : 30 x 20cm
- Can 180 degree flat open for double plate using.
- With an oil collector
- With power and ready indicator
- Stainless Steel Surface and Matt Finishing for Deluxe Looking
- Cool Touch Handle.
- Non Stick Coating for easy cleaning.

Packing details:

- Carton: 680 x 365 x 350 mm
- 4pcs / Carton
- 1,228 pcs / 20ft FCL
- 2,620 pcs / 40ft FCL

Certificate: CE/GS/ROHS/LFGB



Model No.: HK-6213
BBQ GRILL

Specification:

- AC220V-240V 50/60Hz 1000W
- Unique horizontal grill
- 6pcs Stainless steel skewers
- With power ON/OFF button
- Quartz heating tube
- Detachable part for easy cleaning.
- High power to make food done in 20 mins.
- Extra food tong for pick up the kebab
- Optional Accessories: A.) Grill B.) Grill Pan

Packing details:

- Carton: 575 X 460 X 232mm
- 2 pcs / Carton
- 932 pcs / 20ft FCL
- 1,932 pcs / 40 ft FCL

Certificate: CE/A13/CB

Model No.: HK-FL2026A
BBQ Maker

Specification:

- AC220V-240V 50/60Hz 800W
- 360 degree view
- Auto-roasting skewer
- 60 mins of timer
- Auto shut-off
- 10 skewers
- Center quartz heating elements
- Removable glass cover

Packing details:

- Carton: 579x565x325 mm
- 4 pcs / Carton
- 1,148 pcs / 20ft FCL
- 2,296 pcs / 40 ft FCL

Certificate: CE/A13/ROHS/LFGB





Model No.: AX-916DYO
12L Halogen Oven with digital display

Specification:

- AC220-240V 50/60Hz 1200W-1400W
- capacity: 12L
- 60mins timer with bell ring
- 65-250°C temperature selector
- Removeable glass bowl
- S/S tube or halogen tub heating element

Packing details:

- Carton: 735 x 485 x 395mm
- 2pcs / Carton
- 400pcs / 20ft FCL
- 900pcs / 40ft FCL
- 1,070pcs / 40HQ FCL

Certificate: CE, ROHS, LFGB, CB



Model No.: AX-716YO
7L Halogen Oven

Specification:

- AC220-240V 50/60Hz 700W-800W
- capacity: 7L
- 60mins timer with bell ring
- 65-250°C temperature selector
- Removeable glass bowl
- S/S tube or halogen tub heating element

Packing details:

- Carton: 625 x 318 x 455mm
- 4pcs / Carton
- 1,200pcs / 20ft FCL
- 2,400pcs / 40ft FCL
- 2,800pcs / 40HQ FCL

Certificate: CE, ROHS, LFGB, CB



Model No.: AX-1508ZF
Air Fryer

Specification:

- AC110-240V 50/60Hz 1200W-1400W
- Time Setting range: 0-30mins
- Temperature setting range: 65-200°C
- Multi function roast rack

Packing details:

- Carton: 682 x 365 x 492mm
- 4pcs / Carton
- 780pcs / 20ft FCL
- 1,400pcs / 40ft FCL
- 1,700pcs / 40HQ FCL

Certificate: CE/GS/ROHS/LFGB/CB/ETL



Model No.: HK-AF-508M
Air Fryer

Specification:

- AC220-240V, 50Hz, 1300W
- Capacity: 10L
- Mechanical control (Option: Digital control)
- Triple cooking power: infrared heat, hot turbo air and 360°C food rotating system
- Cooking pot: double seals and non-stick coating
- Removable bowl
- Accessories: chicken fork/baking cage/tong/low rack

Packing details:

- Carton: 870x442x380mm
- 2 pcs / Carton
- 400 pcs / 20ft FCL
- 778 pcs / 40 ft FCL

Certificate: GS/CE/RoHS



Model No.: HK-15B
15L Pizza Oven

Specification:
- AC220V~240V, 1300W
- Fit 12" Pizza
- 100-230°C Adjustable Temperature
- Up/Low 4 Stainless steel heating tube.
- 60 Minutes Time

Packing details:
Giftbox: 432 x 330 x 270 mm
1 pc / GB
730 pcs / 20ft FCL
1,520 pcs / 40ft HQ

Certificate: CE(A13)/ RoHS/LFGB/CB/ErP/REACH



Model No.: HK-TO12A
13L Pizza Oven

Specification:
- AC220V-240V, 1400Watts.
- Fit 10" Pizza
- Temperature adjustable: 100-240°C.
- Zine plated inner chamber.
- Up/Low Stainless steel heating tube.
- 60 Minutes Timer

Packing details:
Giftbox: 495 x 408 x 225mm
1 pc / GB
520 pcs / 20ft FCL
1,240 pcs / 40HQ

Certificate: A13/ RoHS/LFGB/ErP



Model No.: HK-PM-14203
Pizza Maker

Specification:
- AC220-240V, 50Hz, 1200W;
- Pizza oven with 12" rotating pan
- Metal housing with painting color
- Top & bottom heating elements
- Counter top pizza box
- Exclusive country: US/Netherlands/
Northern Europe

Packing details:
Carton: 387 x 323 x 478mm
2 pcs / Carton
960 pcs / 20ft FCL
1,982 pcs / 40 ft FCL

Certificate: CE/RoHS/ETL/FDA



Model No.: HK-PM-35M
Pizza Maker

Specification:
- AC220-240V, 50Hz, 1000-1200W;
- 12" pure "firestone" (cordierite) cooking stone
- Top & bottom double heating
- 8-10 minutes efficiency cooking
- Automatic thermostat inside
- Heat resistant temperature: 400°C with window
- Exclusive country: Italy/Netherlands/Germany

Packing details:
Carton: : 440 x 365 x 480mm
2 pcs / Carton
740 pcs / 20ft FCL
1,520 pcs / 40 ft FCL

Certificate: CE/RoHS/ETL/FDA



Model No.: AX-3218AP
Multi Maker

Specification:
- AC220~240V 50/60Hz, 1800W
- Plate size: 30cm dia.
- Material : Pf housing
- Auto-thermostat control
- Operate at 105°C/ 180°C
- Overheat Protection

Packing details:
Carton: 630 x 471 x 408mm
3pcs / Carton
699pcs / 20ft FCL
1,425pcs / 40ft FCL
1,650pcs/ 40HQ FCL

Certificate: CE/GS/ROHS/LFGB
Exclusive Country: French



Model No.: HK06B-G
6L Oven

Specification:
- AC220V-240V, 650W
- 6 Liters
- Fits 2 Slices of Bread
- 15 Minutes Timer with Cooking End Signal
- Two Quartz Heating Elements
- Metal Protective Cove
- 3 Function: Bake, Broil, Toast

Packing details:
Carton: 657 x 383 x 402 mm
6 pcs / Carton
1,680 pcs / 20ft FCL
3,630 pcs / 40 ft FCL

Certificate: CE(A13)/ROHS/LFGB/
ERP/REACH

MODEL NO.: HK120/60JY
2 IN 1 ELECTRIC HOT POT

- Specification:
- AC 220V-240V, 50-60Hz, 1,350W+600W
 - Hot pot: 4L
 - Two switches to control two heating plates.
 - Steamboat & B.B.Q can be used at same time
 - Adjustable temperature knob to control heating plate.
 - Heavy non-stick coating cast aluminum Grill spread heat evenly

Packing details:
Carton: 700 x 355 x 440 mm
4 pcs / Carton
1,024 pcs / 20ft FCL
2,048 pcs / 40 ft FCL

Certificate: CE/CB

Best Seller

ELECTRIC HOTPOTS
Exclusive in Australia, Austria, Czech republic,
Germany, Greece, Poland, Switzerland



Model No.: AX-4010APP
Fondue Pot

- Specification:
- 220-240V 50/60Hz 1200W
 - capacity: 1.8L
 - Product size: Φ22x10cm
 - Body material: Alumium Alloy
 - Handle: heat resistance bakelite

Packing details:
Carton: 515 x 420 x 400mm
4pcs / Carton
1,300pcs / 20ft FCL
2,688pcs / 40ft FCL
3,906pcs / 40HQ FCL

Certificate: CE, ROHS, GS



Model No.: HK-FP-14217
Electric Fondue Pot

- Specification:
- AC220-240V, 50Hz, 1000W
 - Capacity: 850 ml
 - Backlite handle & alloy aluminum pot
 - Adjustable temperature control
 - Included 1 ring and 8 forks
 - Option accessories: glass lid, sauce cups set

Packing details:
Carton: 665 X 335 X 418mm
4 pcs / Carton
1,252 pcs / 20ft FCL
2,592 pcs / 40ft FCL

Certificate: CE/GS/ROHS/LFGB



Model No.: HK-MC510
Multi Function Cooker

- Specification:
- Power:1500W,220-240VACV,50HZ/60HZ
 - Capacity:6.0L/6.5QT
 - Feature : Sous Vide, Bake, Rice, Roast, yogurt, Slow cook(Low, High, Keep warm) 、Keepwarm, Saute, Stew, Steam etc.
 - Lid : complete tempered glass with SS seal ring
 - Inner bowl : Aluminum pot with Non-stick coating
 - Housing : Stainless steel with plastic base

Packing details:
Carton: 475 x 360 x 270 mm
1 pc / Carton
608 pcs / 20ft FCL
1,240 pcs / 40 HQ

Certificate: CE,GS,RoHS,LFGB,CB,ERP



Model No.: HK-MC-21A
Multi Function Cooker

- Specification:
- AC220-240V, 50Hz, 1500W
 - Capacity: 5L
 - Adjustable thermostat control
 - with big visual lid
 - Removable aluminium pot with non-stick coating
 - Fry/slow cook/steam/sauté/hot pot/grill/cook rice/ keep warm function
 - Accessories: grill rack and spoon

Packing details:
Carton: : 425 x 347 x 530mm
2 pcs / Carton
750 pcs / 20ft FCL
1,600 pcs / 40 ft FCL

Certificate: CE/GS/RoHS/LFGB/ERP





Model No.: HK-MC-1014PT
Multi-Function Cooker

Specification:

- AC220-240V, 50Hz, 1200W;
- Stainless steel housing for luxurious impact
- Temperature control knob 80-230°C
- Non-stick cooking plate
- Four different plates for choice (Takoyaki plate/flat plate/grill plate/hopt pot)

Packing details:

- Carton: 532 x 405 x 388mm
- 4 pcs / Carton
- 1,294 pcs / 20ft FCL
- 2,588 pcs / 40 ft FCL

Certificate: CE/GS/CB/RoHS/LFGB



Model No.: AX-15GP
MultiCooker

Specification:

- AC220-240V 50Hz; 1400~1500W
- Die cast or stamping aluminum plate
- Adjustable temperature controller
- Tempered glass lid
- Removable plate & foldable handles
- Ceramic Coating inside

Packing details:

- Carton: 460 x 335 x 590 mm
- 4pcs / Carton
- 1,260pcs / 20ft FCL
- 2,508pcs / 40ft FCL

Certificate: CE/GS/RoHS/LFGB

Model No.: AX-08HS
Soup Maker

Specification:

- AC100-240V 50/60 Hz 700-800W
- Capacity: 1600ml glass jar
- Digital operation
- Chunky soup, Smooth soup, Simmer function
- Over-flow sensor on the top lid
- Standard accessories: brush, spoon

Packing details:

- Carton: 550 x 345 x 445mm
- 4pcs / Carton
- 1,296pcs/ 20ft FCL
- 2,700pcs/ 40ft FCL
- 3,150pcs/ 40HQ FCL

Certificate: CE/GS/ROHS/LFGB/
ERP/REACH/CB/SAA



Model No.: AX-04TS
Soup Maker

Specification:

- AC220-240V 50Hz
- Heating:800-900W
- Blending:300W
- Capacity: 1.7L
- Digital operation with LED display
- Keep warm/ Reheat

Packing details:

- Carton: 735 x 435 x 280mm
- 4pcs/ Carton
- 1,216pcs/ 20ft FCL
- 2,520pcs/ 40ft FCL
- 2,876pcs/ 40HQ FCL

Certificate: CE/GS/ROHS/LFGB/SAA



Model No.: HK-FS-10107A
Digital Food Steamer

Specification:

- AC220-240V, 50Hz, 800W
- Capacity: 12L, 2 layer
- 7 programs with easy control buttons
- with glass lid/water level indicator
- Digital timer with LCD display
- Auto off function when water finishes
- Presetting function

Packing details:

- Carton: : 583 x 437 x 548mm
- 4 pcs / Carton
- 808 pcs / 20ft FCL
- 1,684 pcs / 40 ft FCL

Certificate: GS/CB/ETL/SAA/RoHS/
ERP/FDA/DGCCRF/LFGB



Model No.: AX-S101GF
Folding Food Steamer

Specification:

- AC220~240V 50/60Hz, 1500W
- Product folding size:43x31x9.1cm
- Water tank capacity: 1,680ml
- Food standard heatproof PCTG material
- Micro Dripping water supply
- Automatically power-off when open the lid

Packing details:

- Carton: 370 x 235 x 495mm
- 1pcs / Carton
- 646pcs / 20ft FCL
- 1,306pcs / 40ft FCL
- 1,556pcs/ 40HQ FCL

Certificate: CE/CB/GS/ROHS/LFGB



Model No.: HK-9938
Food Vacuum Sealer

Specification:
 - AC220V-240V 50/60Hz 110W
 - extra strong vacuum pump 50Kpa
 - For bags with thickness between 0.2-0.29mm
 - max 28cm working width
 - 3 modes: vacuum and seal, only seal, cancel
 - Indication Lights

Packing details:
 Carton: : 435 x 248 x 400mm
 4 pcs / Carton
 2,832 pcs / 20ft FCL
 5,988 pcs / 40 ft FCL
 Certificate: CE/GS/ROHS/ERP

Model No.: HK-9937
Food Vacuum Sealer

Specification:
 - AC220V-240V 50/60Hz 110W
 - extra strong vacuum pump 50Kpa
 - For bags with thickness between 0.2-0.29mm
 - max 28cm working width
 - 3 modes: vacuum and seal, only seal, cancel
 - Indication Lights

Packing details:
 Carton: : 435x248x400mm
 4 pcs / Carton
 2,736 pcs / 20ft FCL
 5,836 pcs / 40 ft FCL
 Certificate: CE/GS/ROHS/ERP

Model No.: HK-SVC150
Stainless Steel Sous Vide Circulator

Specification:
 - AC120V/60Hz; 220-240V/50Hz; 1100W
 - LED display
 - Water capacity (suggested) 5L~22L
 - Pump speed / circulation: 12L/min
 - Time range (timer): 0-99 hours
 - Temp range: 32-194°F / 0-90°C
 - Powerful heating system
 - Stainless steel housing.
 - Adjustable timer
 - Adjustable temperature system

Packing details:
 Carton: : 400x381x415mm
 6 pcs / Carton
 2,400 pcs / 20ft FCL
 5,100 pcs / 40 ft FCL

Certificate: CE/GS/ROHS

Exclusive: USA, Germany



Model No.: HK-SVC151
Sous Vide Circulator

Specification:
 - AC120V/60Hz; 220-240V/50Hz; 1100W
 - LED display
 - Water capacity (suggested) 5L~22L
 - Pump speed / circulation: 12L/min
 - Time range (timer): 0-99 hours
 - Temp range: 32-194°F / 0-90°C
 - Powerful heating system
 - The lower part w/ Stainless steel housing
 - Adjustable timer
 - Adjustable temperature system

Packing details:
 Carton: : 400 x 381 x 415mm
 6 pcs / Carton
 2,400 pcs / 20ft FCL
 5,100 pcs / 40 ft FCL

Certificate: CE/RoHS



Sous Vide

vs

Traditional

Evenly Cooked Interior
due to long even cook time

Pan-Seared for Presentation
great caramelization without over-cooking

Complete Flavor Infusion
due to long cook time and sealed environment

Overcooked Area
due to uneven heat during cook time

Pan-Seared Lightly
danger of over-cooking when searing

Weak Flavor Infusion
due to short cook time and un-sealed environment



GROUP OF COMPANIES

The Company established in 1982 with Base in Hong Kong and manufacturing plants in Yuyao-Zhejiang and Huzhou-Guangdong of China mainly producing Household Electrical Appliances & Electronics Audio, while offices are based in Shenzhen-Guangdong of China acting as buying Agent for Customers all over the World plus individual Quality Control Team being responsible for factory audit and inspection of the products on behalf of Customers who buy from other sources.

HEAD-OFFICE	ALEXON ELECTRICAL PRODUCTS LTD. 21/F Lemmi Centre, 50 Hoi Yuen Road, Kwun Tong, Kowloon, Hong Kong. Phone: (852) 2544 9927 Email : sales@alexon.com.hk http : www.alexon.com.hk
ACTIVITIES	OEM Projects & self-developed Household & Kitchen Electrical Products.
CHINA OFFICE	NINGBO ALEXON ELECTRICAL PRODUCTS LTD. (Shenzhen Office) Oriental Plaza, Lowu, Shenzhen, China. Phone: (86-755) 2518 3427 Email : sales@alexonchina.com http : www.alexonchina.com
ACTIVITIES	Buying Agent, Sourcing, Quality Control.
CHINA FACTORY	NINGBO PREMIER ELECTRIC CO. LTD. Simen-Yuyao, Ningbo, China
HOLDING COMPANY	DANSON HOUSEWARES LTD. 21/F Lemmi Centre, 50 Hoi Yuen Road, Kwun Tong, Kowloon, Hong Kong. Phone: (852) 2544 9522 Email : sales@danson.com.hk http : www.danson.com.hk
ACTIVITIES	Administration, Product design and development of Electronics Audio products and Electrical Housewares.
CHINA OFFICE	SHENZHEN DANSON HOUSEWARES LTD. Oriental Plaza, Lowu, Shenzhen, China. Phone: (86-755) 2518 3426 Email : sales@dansonchina.com http : www.dansonchina.com
ACTIVITIES	Buying Agent, Merchandising, Sub-contraction.
CHINA FACTORY	GOLDEN PROFIT ELECTRICAL MANUFACTORY Huizhou – Guangdong, China.